



WEGA


AUTOMATIC HEAT PUMP




- Single-phase or three-phase heat pump
- New ABS design
- Automatic defrosting by cycle inversion

COP* ≥ 5

dB** ≤ 40

Les + produits

- Evaporateur traité bluefin (anti-moisissure)
Bluefin treatment on evaporator (antimoisture)
- Compresseur haute performance (Gree/Highly)
High performance compressor (Gree/Highly)
- Carrosserie ABS
ABS cabinet
- Ecran de régulation électronique
Electronic display
- Conforme aux normes 
Norms conformity



WARRANTY

- Pompe à chaleur WARRANTY 2 ans
2 years warranty on heat pump
- Compresseur garanti 5 ans
5 years warranty on compressor
- Echangeur en titane garanti à vie contre la corrosion
Life rust warranty on titanium coil exchanger



Accessoires inclus

Notice - *Instruction manual*
 Kit de support anti-vibration - *Anti Vibrating plots set*
 Tuyau d'évacuation - *Water drain connexion*
 Raccord-union \varnothing 50 mm - *50 mm fast fitting*
 Couverture d'hivernage - *Winter cover*
 Boîtier mural - *Additional wall mounted box*
 Câble d'extension (10 m) - *Extension cable 10 m*

Technical data
on the next page



* Coefficient determined according to European standards (hygro 70% / air 26°C / Water 26°C)
 ** Maximum sound level at 10 meters distance

		WEGA-05	WEGA-06	WEGA-08	WEGA-10	WEGA-12	WEGA-14
Recommended pool volume (m3)		0-25	20-30	30-45	35-55	45-70	60-80
Air 26°C	Power (kW)	4,68	5,3	7,28	10,19	11,65	13,73
	Consumption (kW)	0,92	0,99	1,41	1,97	2,15	2,51
Water 26°C	COP	5,1	5,37	5,17	5,18	5,41	5,46
	Power (kW)	3,65	3,9	5,2	7,6	8,7	10,2
Water 26°C	COP	4,24	4,43	4,0	4,11	4,55	4,6
Power supply		220 - 240 V / 50 Hz	220 - 240 V / 50 Hz	220 - 240 V / 50 Hz	220 - 240 V / 50 Hz	220 - 240 V / 50 Hz	220 - 240 V / 50 Hz
Max absorbed power (kW)		0,86	0,99	1,34	1,95	2,11	2,47
Compressor type		Rotary	Rotary	Rotary	Rotary	Rotary	Rotary
Compressor brand		Gree or Highly	Gree or Highly	Gree or Highly	Gree or Highly	Gree or Highly	Gree or Highly
Recommended water flow (m3/h)		1,9	2,4	3,4	4,1	5,4	6,0
Water connection (mm)		50	50	50	50	50	50
Refrigerant gas		R32	R32	R32	R32	R32	R32
Sound level at 1 m (dB)		49	53	59	58	52	53
Net/gross weight (kg)		35/42	46/52	50/59	57/69	61/70	62/72
Net dimensions (mm)		755x258x500	937x286x550	937x286x550	1012x307x614	1012x307x614	1012x307x614
Packaging dimensions (mm)		880x330x630	1060x380x680	1060x380x680	1130x400x750	1130x400x750	1130x400x750

		WEGA-17	WEGA-17 Tri	WEGA-21 Tri	WEGA-26 Tri	WEGA-31 Tri
Recommended pool volume (m3)		75-95	75-95	90-115	105-145	135-170
Air 26°C	Power (kW)	18,1	18,1	21,01	25,27	31,2
	Consumption (kW)	3,04	3,04	3,44	4,36	5,36
Water 26°C	COP	5,96	5,96	6,1	5,8	5,82
	Power (kW)	13,9	13,9	15,5	18,7	23,5
Water 26°C	COP	4,79	4,79	4,75	4,66	4,77
Power supply		220 - 240 V / 50 Hz	380 - 400 V / 50 Hz	380 - 400 V / 50 Hz	380 - 400 V / 50 Hz	380 - 400 V / 50 Hz
Max absorbed power (kW)		3,11	2,9	3,38	4,27	5,25
Compressor type		Rotary	Rotary	Rotary	Rotary	Rotary
Compressor brand		Gree or Highly	Gree or Highly	Gree or Highly	Gree or Highly	Gree or Highly
Recommended water flow (m3/h)		7,3	7,3	9,0	11,2	13,3
Water connection (mm)		50	50	50	50	50
Refrigerant gas		R32	R32	R32	R32	R32
Sound level at 1 m (dB)		57	57	57	60	60
Net/gross weight (kg)		74/87	84/97	98/112	102/116	109/124
Net dimensions (mm)		1117x396x703	1117x396x703	1117x396x1053	1117x396x1053	1117x396x1053
Packaging dimensions (mm)		1230x470x850	1230x470x850	1230x470x1200	1230x470x1200	1230x470x1200